

Issued by Notified Body No. 0402 according to Directive 2014/32/EU MID annex II Module D

Manufacturer	<b>Corroventa Avfuktning AB</b> Mekanikervägen 3, SE-564 35 BANKERYD, Sweden
Place of manufacture:	Same as above
Products covered by this decision:	<b>CEMP Corroventa Energy Measurement Platform</b> (active electrical energy meter platform (MID Annex V, MI-003) mounted in dehumidifiers and other similar dehumidification and/or ventilation machines manufactured by Corroventa Avfuktning AB)

The above product is covered by the following MID EU Type Examination Certificate (acc to Annex II, module B)

<b>RISE No.</b> 0402-MID-SC0781-18	<b>CEMP Corroventa Energy Measurement Platform</b>
---------------------------------------	--

### Decision, terms and validity

RISE hereby confirms, by this decision, that the system for quality assurance of the production process has been reviewed and found to fulfil relevant requirements. Authorisation is therefore given to the holder of this decision to use the Notified Body identification No. (0402), of RISE, on the products specified above. The decision remains valid until 2026-11-23, provided that surveillance audits are performed by RISE with approved result, and that all terms stated in directive 2014/32/EU are fulfilled.

Directive 2014/32/EU is implemented in Swedish law by SWEDAC Regulation STAFS 2016:1. RISE certification rule SPCR 302 has been applied.

### Marking

When the manufacturer affixes the CE-mark on the product, the marking shall also consist of product identification, certificate No., Metrological mark (M), the year the marking was affixed (yy), the Notified Body identification No. (0402) and other marking specified in the directive.

### Miscellaneous

This decision replaces earlier issues. This decision was first issued 2018-11-30.

Martin Tillander

Assessment Decision 0402-MID-SC0782-18 | issue 2 | 2021-11-24

**RISE Research Institutes of Sweden AB | Certification**

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | [certifiering@ri.se](mailto:certifiering@ri.se) | [www.ri.se](http://www.ri.se)

174129

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE